

# 夏季常見的品種

## 大頂苦瓜



## 七星節瓜



# 苦瓜及節瓜基本栽種資料

- ✓ 適種期: 三月至九月
- ✓ 網室種植，以防瓜實蠅
- ✓ 整理藤蔓以增加光度及通風

## 採收期

- 苦瓜 - 由播種至初收約 75天，採收期 70天
- 節瓜 - 由播種至初收約 60天，採收期 60天



# 苦瓜及節瓜栽種技巧

## 基肥

- 每斗地施放堆肥1,000公斤或麩粉及骨粉各90公斤

## 追肥

- 定植後兩星期追肥，每株施有機肥  
(N : P : K = 4 : 3 : 3 ) 50克
- 一個月後再施一次，份量加倍，直至植株停止生長

## 灌溉

- 保持土壤含水量足夠便可

# 苦瓜及節瓜栽種技巧

## 插竹整蔓

- 植株生長至 40 公分時需插竹或使用掛網讓藤蔓攀附生長



- 母蔓低節位的側蔓和瓜全部摘除
- 整理藤蔓以增加光度及通風，促進植株生長

# 苦瓜栽種技巧

## 網室栽種

- 建議農友採用網室種植苦瓜，以防止果蠅叮咬，損害果實；但在天陰無風或無昆蟲在網室時，則需要採用人工授粉方法，增加結果數量。



# 節瓜栽種技巧

## 露地栽種

- 使用掛網讓藤蔓攀附生長，促進植株生長。
- 利用地膜覆蓋栽培土，可減低暴雨沖刷泥土的程度，阻慢泥土水份急升及減少雜草生長。
- 利用滴灌設施淋水，節省用水及勞力。
- 果實長至 15 – 20 公分時便可正常採收，如有需要，也可收大果作節瓜盅之用。



# 瓜實蠅防治

# 瓜蠅的為害



# 爛瓜中的幼蟲會變成瓜蠅



瓜蠅幼蟲



# 瓜蠅的綜合防治

第一招：清爛瓜

第二招：套袋

第三招：捉蠅

# 第一招：清除爛瓜

- ✓ 把爛瓜放入麩水桶中浸死幼蟲
- ✓ 把爛瓜深埋入土壤中（起碼一尺）
- ✓ 把爛瓜用膠袋包實，當垃圾棄置

# 第二招：套袋



# 第三招：捉蠅（黏紙）

## 巧用捕蠅紙


- ✓ 掛在瓜旁令瓜蠅真假莫辨



# 第三招：捉蠅（誘捕器）

## 膠樽誘捕器：

1. 易入難出（龍蝦籠）
2. 油水溺斃



# 用雄性瓜蠅引誘劑

1. 混溶法—把引誘劑以 1:15 之比例先和芥花籽油充分混和，然後加進盛有鹽水 (5-10%) 的誘捕器中。

1毫升 誘劑

15 毫升  
芥花籽油

充分  
混和



與食油混溶的引誘劑  
可持效 6 個月以上

# 掛樽要旨

- ✓ 大樹底下好乘涼
- ✓ 經得風雨
- ✓ 容易打理



The image shows three green cucumbers hanging vertically from a vine. The cucumbers are elongated and have a slightly bumpy texture. They are surrounded by green leaves and other parts of the plant. In the center of the image, there is a large, bold red Chinese character '完' (wán), which means 'end' or 'finished'. The character is superimposed over the middle cucumber.

完