

Fish Belt Transect Form

魚類帶斷面表

Site Name 調查區名稱:				
Average Depth 平均深度:		Team Leader 調查隊長:		
Date 日期:		Time 時間:		
Indo-Pacific (Hong Kong) Belt Transect : Fish 魚類				
Data recorded by 資料記錄者:				
	0-20m	25-45m	50-70m	75-95m
Butterfly fish 蝴蝶魚				
Sweetlips (Haemulidae) 細鱗				
Grouper 石斑魚:				
Barramundi cod 老鼠斑 (<i>Cromileptes altivelis</i>)	>30 cm			
	<30 cm			
Coral Trout 星斑 (<i>Plectropomus</i> sp.)	>30 cm			
	<30 cm			
Other Grouper 其他石斑	>30 cm			
	<30 cm			
Snappers 笛鯛類 (<i>Lutjanidae</i>)	>30 cm			
	<30 cm			
Wrasse 眉魚:				
Humphead wrasse (<i>Cheilinus undulatus</i>) □□				
Others Wrasse (Labridae) 雜眉				
Parrotfish 鸚鵡魚:				
Bumphead parrot 駝背大鸚鵡魚				
Blue-barred parrot (<i>Scarus ghobban</i>) 黃衣				
Other Parrotfish 其他鸚鵡魚				
Seahorse 海馬				
Moray Eel 油 鯧				
Other Notes 其他記錄				
	0-20m	25-45m	50-70m	75-95m
Bleaching (% of coral population and % per colony): 白化 (佔珊瑚群體的%□□□□□□□□%):				
Suspected disease (type & %) 病態 (類型及%)				
Rare animals sighted (type & no.) 罕見生物 (類型及□□)				