

1 REFERENCES

1.1 Literature Cited

Aller, R.C. and Dodge, R.E. 1974. Animal sediment relations in a tropical lagoon Discovery Bay, Jamaica. *Journal of Marine Research* 32: 209-232.

Ankar, S. 1977. Digging profile and penetration of the van Veen grab in different sediment types. *Contributions from the Askö Laboratory, University of Stockholm, Sweden* 16: 1-22.

Ankar, S., Andersin, A.B., Lassig, J., Norling, L. and Sandler, H. 1979. Methods for studying benthic macrofauna. An intercalibration between two laboratories in the Baltic Sea. *Finnish Marine Research* 246: 147-160.

Beukema, J.J. 1995. Long-term effects of mechanical harvesting of lugworm *Arenicola marina* on the zoobenthic community of a tidal flat in the Wadden Sea. *Neth. Journal of Sea Research* 33: 219-227.

Boehm, P.D., Page, D.S., Gilfillan, E.S., bence, A.E., Burns, W.A. and Mankiewicz, P.J. 1998. Study of the fates and effects of the Exxon Valdez oil spill on benthic sediments in two bays in Prince William Sound, Alaska. 1. Study design, chemistry, and source fingerprinting. *Environmental Science and Technology* 32: 567-576.

Borgman, L.E. and Quinby, W.F. 1988. Sampling for tests of hypothesis when data are correlated in space and time. In: *Principles of Environmental Sampling* (ed. L.H. Keith), 25. American Chemical Society, Washington, DC, USA.

Brasil, A.C.S. and da Silva, S.H.G. 2000. Spatial distribution of polychaeta in a soft-bottom community at Saco do Ceu, Ilha Grande, Rio de Janeiro, Brazil. *Bulletin of Marine Science* 67: 103-112.

Bray, J.R. and Curtis, J.T. 1957. An ordination of upland forest communities of southern Wisconsin. *Ecological Monographs* 27: 325-49.

Brinkhurst, R.O. 1987. Distribution and abundance of macroscopic benthic infauna from the continental shelf off southwestern Vancouver Island, British Columbia, Canada. *Canada Technical Report on Hydrography and Ocean Science* No. 85, 92 pp.

Buchanan, J.B. 1984. Sediment analysis. In: *Methods for the Study of Marine Benthos*, 2nd edition, (ed. N.A. Holme and A.D. McIntyre), 41-65. IBP Handbook 16, Oxford: Blackwell Scientific Publications, UK.

Buhs, F. and Reise, K. 1997. Epibenthic fauna dredged from tidal channels in the Wadden Sea of Schleswig-Holstein: Spatial patterns and along-term decline. In: *Proceedings of Exchange Processes and Long Term Developments in the Ecology of the List Tidal Basin in the Northern Wadden Sea* (ed. K. Reise and C. Gaetje), Hamburg: Biologische Anstalt Helgoland, pp. 343-359.

Calderon-Aguilera, L.E. 1992. Analysis of the benthic infauna from Bahia de San Quintin, Baja California, with emphasis on its use in impact assessment studies. *Ciencs Marine* 18: 27-46.

Christie, N.D. 1975. Relationship between sediment texture, species richness and volume of sediment sampled by a grab. *Marine Biology* 30: 89-96.

Clark, K.R. and Warwick, R.M. 2001. Changes in marine communities: An approach to statistical analysis and interpretation. 2nd edition. PRIMER-E Ltd., Plymouth Marine Laboratory, UK.

Clark, K.R. 1990. Comparisons of dominance curves. *Journal of Experimental Marine Biology and Ecology* 138: 143-157.

Craig, N.C.D., Shillabeer, N. and Parr, J.C.W. 1993. Long-term benthic monitoring of a dense effluent discharge to sea. *Journal of Institute of Water Environment and Management* 7: 262-269.

Currie, D.R. and Parry, G.D. 1996. Effects of scallop dredging on a soft sediment community: A large-scale experimental study. *Marine Ecology Progress Series* 134: 131-150.

Dalto, A.G. and Albuquerque, E.F. 2000. Meiofauna distribution in a tropical estuary of the south-western Atlantic (Brazil). *Vie et Milieu* 50: 151-162.

DelValls, T.A., Conradi, M., Garcia-Adiego, E., Forja, J.M. and Gomez-Parra, A. 1998. Analysis of macrobenthic community structure in relation to different environmental sources of contamination in two littoral ecosystems from the Gulf of Cadiz (SW Spain). *Hydrobiologia* 385: 59-70.

Diaz, R.J. and Rosenberg, R. 1995. Marine benthic hypoxia: a review of its ecological effects and the behavioural responses of benthic macrofauna. *Oceanography and Marine Biology. An Annual Review* 33: 245-303.

Dittmann, S. 2000. Zonation of benthic communities in a tropical tidal flat of north-east Australia. *Journal of Sea Research* 43: 33-51.

Dolah, R.F. van, Calder, D.R. and Knott, D.M. 1984. Effects of dredging and open-water disposal on benthic macroinvertebrates in a South Carolina estuary. *Estuaries* 7: 28-37.

Dybern, B.I., Ackefors, H. and Elmgren, R. 1976. Recommendations on methods for marine biological studies in the Baltic Sea. *The Baltic Marine Biologists* 1: 1-98.

Elias, R. 1995. The subtidal macroinfauna from soft-bottom substrate of the Blanca Bay (Argentina). *Thalassasia* 11: 73-86.

EPD, 1997. Technical Memorandum on Environmental Impact Assessment Process. Hong Kong Environmental Protection Department, 83 pp.

Estacio, F.J., Garcia-Adiego, E.M., Carballo, J.L., Sanchez-Moyamo, J.E., Izquierdo, J.J. and Garcia-Gomez, J.C. 1999. Interpreting temporal disturbances in an estuarine benthic

community under combined anthropogenic and climatic effects. *Journal of Coastal Research* 15: 155-167.

Flint, R.W. and Young, J.A. 1983. Estuarine benthos: Long-term community structure variations, Corpus Christi Bay, Texas. *Estuaries* 6: 126-141.

Frouin, P. 2000. Effects of anthropogenic disturbances of tropical soft-bottom benthic communities. *Marine Ecology Progress Series* 194: 39-53.

Frouin, P. and Hutchings, P. 2001. Macrobenthic communities in a tropical lagoon (Tahiti, French Polynesia, central Pacific). *Coral Reefs* 19: 277-285.

Furano, 1991a. Aquatic monitoring of the WENT landfill site in Hong Kong Stage I and II. Furano Environmental Consultants, submitted to Environmental Protection Department.

Furano, 1991b. Baseline marine ecological studies for the proposed large thermal power station at Black Point, Hong Kong, submitted to ERM Ltd. for China Light & Power Ltd.

GESAMP, 1990. The state of the marine environment. United Nations environment programme. UNEP regional seas reports and studies pp. 115.

Gray, J.S. 1981. *The Ecology of Marine Sediments. An Introduction to the Structure and Function of Bottom Communities.* Cambridge University Press, Cambridge, UK.

Gray, J.S. 1989. Effect of environmental stress in species rich assemblages. *Biological Journal of Linnaeus Society* 37: 19-32.

Gray, J.S., Clarke, K.R., Warwick, R. and Hobbs, G. 1990. Detection of the initial effects of pollution in marine benthos: an example from the Ekofisk and Eldfisk oilfields, North Sea. *Marine Ecology Progress Series* 66: 285-299.

Green, R.H. 1979. *Sampling Design and Statistical Methods for Environmental Biologists.* John Wiley & Sons, New York, USA.

Grove, S.L. and Probert, P.K. 1999. Sediment macrobenthos of upper Otago Harbour, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 33: 469-480.

Hall, S.J. and Greenstreet, S.P. 1998. Taxonomic distinctness and diversity measures: Responses in marine fish communities. *Marine Ecology Progress Series* 166: 227-229.

Harvey, M., Gauthier, D. and Munro, J. 1998. Temporal changes in the composition and abundance of the macro-benthic invertebrate communities as dredged material disposal sites in the Anse a Beaufils, Baie des Chaleurs, Eastern Canada. *Marine Pollution Bulletin* 36: 41-55.

Holme, N.A. and McIntyre, A.D. 1984. *Methods for the Study of Marine Benthos.* IBP Handbook 16, Oxford: Blackwell Scientific Publications, UK.

Huang, Z., 1994. *Marine Species and Their Distribution in China's Seas.* Beijing: China Ocean Press, Beijing, 764 pp.

- Johnson, R.O. and Nelson, W.G. 1985. Biological effects of dredging in an offshore borrow area. *Florida Science* 48: 166-187.
- Keith, L.H. 1991. *Environmental Sampling and Analysis. A Practical Guide*. Lewis Publishers, Florida, USA.
- Kennedy, V.S. 1985. A summer benthic survey in Conception Bay, Newfoundland, emphasizing zoogeography of annelids and amphipods. *Canadian Journal of Zoology* 63: 1863-1869.
- Kenny, A.J. and Rees, H.L. 1994. The effects of marine gravel extraction on the macrobenthos: Early post-dredging recolonization. *Marine Pollution Bulletin* 28: 442-447.
- Kenny, A.J. and Rees, H.L. 1996. The effects of marine gravel extraction on the macrobenthos: Results 2 years post-dredging. *Marine Pollution Bulletin* 32: 615-622.
- Kroencke, I., Dippner, J.W., Heten, H. and Zeiss, B. 1998. Long-term changes in macrofaunal communities off Norderney (East Frisia, Germany) in relation to climate variability. *Marine Ecology Progress Series* 167: 25-36.
- Kubokawa, K., A. Nobuyuki and Tomiyama, M. 1998. A new population of the amphioxus (*Branchiostoma belcheri*) in the Enshu-Nada Sea in Japan. *Zoological Science* 15: 799-803.
- Long, B. and Lewis, J.B. 1987. Distribution and community structure of the benthic fauna of the north shore of the Gulf of St. Lawrence described by numerical methods of classification and ordination. *Marine Biology* 95: 93-101.
- Lopez-Jumar, E., Cal, R.M., Gonzalez, G., Hanson, R.B., Rey, J., Santiago, G. and Tenore, K.R. 1992. Upwelling and outwelling effects on the benthic regime of the continental shelf of Galicia, NW Spain. *Journal of Marine Research* 50: 465-488.
- Lopez-Jamar, E., Francesch, O., Dorrio, A.V. and Parra, S. 1995. Long-term variation of the infaunal benthos of La Coruna Bay (NW Spain): Results from a 12-year study. *Sci. Mar. Barc.* 59: 49-61.
- Lu, L. and Wu, R.S.S. 1998. Recolonization and succession of marine macrobenthos in organic-enriched sediment deposited from fish farms. *Environmental Pollution* 101: 241-251.
- Lu, L. and Wu, R.S.S. 2000. An experimental study on recolonization and succession of marine macrobenthos in defaunated sediment. *Marine Biology* 136: 291-302.
- Lu, Z., Y. Yan and Du, Q. 1998. Variation of fishery resources and estimation of suitable fishing efforts in Xiamen coastal waters. *Journal of Oceanography of Taiwan Strait* 17: 309-316.
- MacGurran, A.E. 1988. *Ecological diversity and its measurement*. Croom Helm, London. pp. 179.

Mendez, N. and Green-Ruiz, M. 1998. Superficial sediments and their relation to polychaete families in a subtropical embayment, Mexico. *Revista Biologica Tropical* 46: 237-248.

Morton, B., Williams, G.A. and Lee, S.Y. 1996. The benthic marine ecology of Hong Kong: a dwindling heritage? In: *Coastal Infrastructure Development in Hong Kong. A Review. Proceedings of the Symposium on Hydraulics of Hong Kong Waters*, Hong Kong 1995. Hong Kong: Civil Engineering Office, Civil Engineering Department, Hong Kong Government, pp. 233-267.

Netto, S.A., Attrill, M.J. and Warwick, R.M. 1999. Sublittoral meiofauna and macrofauna of Rocas Atoll (NE Brazil): Indirect evidence of a topographically controlled front. *Marine Ecology Progress Series* 179: 175-186.

Nichols-Driscoll, J. 1976. Benthic invertebrate communities in Golfo Dulce, Coasta Rica, an anoxic basin. *Revista de Biologia Tropical* 24: 281-297.

Olsgard, F. 1993. Do toxic algal blooms affect subtidal soft-bottom communities? *Marine Ecology Progress Series* 102: 269-286.

Olsgard, F. and Gray, J.S. 1995. A Comprehensive analysis of the effects of offshore oil and gas exploration and gas production on the benthic communities of the Norwegian continental shelf. *Marine Ecology Progress Series* 122: 277-306.

Pagliai, A.M.B., Varriale, A.M.C., Crema, R., Galletti, M.C. and Zunarelli, R.V. 1985. Environmental impact of extensive dredging in a coastal marine area. *Marine Pollution Bulletin* 16: 483-488.

Pearson, T.H. and Rosenberg, R. 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanography and Marine Biology Annual Review* 16: 229-311.

Poiner, I.R. 1977. Microvariation in the fauna of a sublittoral sand bank, Moreton Bay, Queensland. *Australian Journal of Ecology* 2: 297-308.

Riddle, M.J. 1989. Precision of the mean and the design of benthos sampling programmes: Caution advised. *Marine Biology* 103: 225-230.

Rosenberg, R. 1975. Stressed tropical benthic faunal communities off Miami, Florida. *Ophelia* 14: 93-112.

Rosenberg, R., Nilsson, H.C., Hellman, B. and Agrenius, S. 2000. Depth correlated benthic quantity and infaunal burrow structures on the slopes of a marine depression. *Estuarine, Coastal and Shelf Science* 50: 843-853.

Saila, S.B. 1980. Disposal of dredged materials at sea. *Maritimes* 24: 12-13.

Scott Wilson, 1999. Study on Tonggu Waterway. Final report. (Agreement No. CE 32/96 for Civil Engineering Department), Scott Wilson (Hong Kong) Ltd.

Shimatani, K. 2001. On the measurement of species diversity incorporating species differences. *Oikos* 93: 135-147.

Shin, K.S. 1977. A Quantitative and Qualitative Survey of the Benthic Fauna of the Territorial Waters of Hong Kong. M.Phil. Thesis, The University of Hong Kong, Hong Kong.

Shin, P.K.S. 1989. Natural disturbance of benthic infauna in the offshore waters of Hong Kong. *Asian Marine Biology* 6: 193-207.

Shin, P.K.S. 1998. Biodiversity of subtidal polychaetes in Hong Kong coastal waters. In: *The Marine Biology of the South China Sea. Proceedings of the 3rd International Conference on the Marine Biology of the South China Sea*, Hong Kong, edited by B. Morton, pp. 57-74. Hong Kong University Press, Hong Kong.

Shin, P.K.S. 2000. The detection of ecological stress in a sub-tropical macrobenthic community in Hong Kong. *Asian Marine Biology* 17: 149-160.

Shin, P.K.S and Thompson, G.B. 1982. Spatial distribution of the infaunal benthos of Hong Kong. *Marine Ecology Progress Series* 10: 37-47.

Shin, P.K.S. and Fong, K.Y.S. 1999. Multiple discriminant analysis of marine sediment data. *Marine Pollution Bulletin* 39: 285-294.

Simboura, N., Zenetos, A., Panayotidis, P. and Makra, A. 1995. Changes in benthic community structure along an environmental pollution gradient. *Marine Pollution Bulletin* 30: 470-474.

Somerfield, P.J., Olsgard, F. and Carr, M.R. 1997. A further examination of two new taxonomic distinctness measures. *Marine Ecology Progress Series* 154: 303-306.

Stehman, S.V. and Overton, W.S. 1994. Environmental sampling and monitoring. In: *Environmental Statistics*, (ed. G.P. Patil and C.R. Rao), 263-306. *Handbook of Statistics*. Vol. 12, Elsevier Science B.V., The Netherlands.

Swartz, R.C., DeBen, W.A., Cole, F.A. and Bentsen, L.C. 1980. Recovery of the macrobenthos at a dredge site in Yaquina Bay, Oregon. In: *Contaminants and sediments*. Vol. 2 Analysis, Chemistry, Biology. Baker, R.A. (ed.), Ann Arbor Science Publishing Inc., pp. 391-408.

Thompson, G.B. and Shin, P.K.S. 1983. Sewage pollution and the infaunal benthos of Victoria Harbour, Hong Kong. *Journal of Experimental Marine Biology and Ecology* 67: 279-299.

Tuck, I.D., Hall, S.J., Robertson, M.R., Armstrong, E. and Basford, D.J. 1998. Effects of physical trawling disturbance in a previously unfished sheltered Scottish sea loch. *Marine Ecology Progress Series* 162: 227-242.

Veer, H.W. van der, Bergman, M.J.N. and Beukema, J.J. 1985. Dredging activities in the Dutch Wadden Sea: Effects on macrobenthic infauna. *Netherlands Journal of Sea Research* 19: 183-190.

- Wade, B.A. 1972. A description of a highly diverse soft-bottom community in Kingston Harbour, Jamaica. *Marine Biology* 13: 57-69.
- Warwick, R.M. 1986. A new method for detecting pollution effects on marine macrobenthic communities. *Marine Biology* 92: 557-562.
- Warwick, R.M. and Clarke, K.R. 1994. Relearning the ABC: Taxonomic changes and abundance/biomass relationships in disturbed benthic communities. *Marine Biology* 118: 739-744.
- Warwick, R.M. and Clarke, K.R. 1995. New "biodiversity" measures reveal a decrease in taxonomic distinctness with increasing stress. *Marine Ecology Progress Series* 129: 301-305.
- Warwick, R.M. and Clarke, K.R. 1998. Taxonomic distinctness and environmental assessment. *Journal of Applied Ecology* 35: 532-543.
- Wildish, D.J. and Thomas, M.L.H. 1985. Effects of dredging and dumping on benthos of Saint John Harbour, Canada. *Marine Environmental Research* 15: 45-57.
- Wu, R.S.S. 1982a. Periodic defaunation and recovery in subtropical epibenthic community in relation to organic pollution. *Journal of Experimental Marine Biology and Ecology* 64: 253-269.
- Wu, R.S.S. 1982b. Effects of taxonomic uncertainty on species diversity indices. *Mar. Environ. Res.* 6: 215-335
- Wu, R.S.S., Lam, P.K.S., Lau, T.C. and Yam, V. 1994. Impact of marine fish farming on water quality and bottom sediment: a case study in the sub-tropical environment. *Mar. Environ. Res.* 38: 115-145.
- Wulff, A., Sundbaeck, K., Nilsson, C., Carlson, L. and Joensuu, B. 1997. Effect of sediment load on the microbenthic community of a shallow-water sandy sediment. *Estuaries* 20: 547-558.
- Yang, Q., Lin, G. and Lin, J. 1993. Ecological studies of phytoplankton in waters around Xiamen Amphioxus Reserve Area. *Journal of Oceanography of Taiwan Strait* 12: 205-217.
- Yi, S.K., Huh, H.T. and Kang, H.S. 1988. Determination of minimal size of sample for the study of subtidal macrozoobenthic community using a van Veen Grab. *Ocean Research* 10: 107-113.
- Young, L.J. and Young, J.H. 1998. *Statistical Ecology*. Kluwer Academic Publishers, Boston, USA.
- Zar, J.H. 1996. *Biostatistical Analysis*. Third edition. Prentice-Hall International, Inc., NJ, USA.

1.2 Taxonomic References

General:

Chiyoda Ku et al., 1974. New Illustrated Encyclopedia of the Fauna of Japan. Vol. 1, 679 pp., Vol. 2, 803 pp., Vol. 3, 763 pp. Hokuryukan Publishing Co.

Huang, Z., 1994. Marine Species and Their Distribution in China's Seas. Beijing: China Ocean Press, Beijing, 764 pp.

Coelenterata:

Pei Zuan, 1998. Fauna Sinica – Coelenterata, Actinaria, Ceriantharia and Zoanthidae. Science Press, Beijing, 286 pp.

Zou, R., 2001. Fauna Sinica – Coelenterata, Anthozoa, Scleractinia, Hermatypic Corals. Science Press, Beijing, 289 pp.

Nemertea:

Gibson, R., 1986. The macrobenthic Nemertean fauna of Hong Kong. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 33-212. Hong Kong University Press, Hong Kong.

Annelida - Polychaeta:

Day, J.H., 1967. Monograph on the Polychaeta of Southern Africa. Trustees of British Museum, London, 842 pp.

Fauchald, K., 1968. Nephtyidae (Polychaeta) from the Bay of Nha Trang, South Vietnam. NAGA Report 4: 7-33.

Fauchald, K., 1977. The polychaete worms definitions and key to the orders, families and genera. Natural History Museum of Los Angeles County, University of South California, 187 pp.

Hutchings, P.A., 1986. Terebellidae from the Hong Kong region. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 377-412. Hong Kong University Press, Hong Kong.

Ong Che, R.G., Qiu, J. and Wu, B.L., 1998. Distribution of polychaeta in the southern waters of Hong Kong. Asian Marine Biology 15: 135-158.

Qiu, J., 1999. Composition, structure and distribution of polychaete assemblages in Deep Bay, Hong Kong. In: Proceedings of the International Workshop on the Mangrove Ecosystem of Deep Bay and the Mai Po marshes, Hong Kong, edited by S.Y. Lee, pp. 13-22. Hong Kong University Press, Hong Kong.

Shin, P.K.S., 1980. Some polychaetous annelids from Hong Kong waters. In: Proceedings of the 1st International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton and C.W. Tseng, pp. 161-172. Hong Kong University Press, Hong Kong.

Wu, B.L., Sun, R.P. and Yang, D.J., 1981. The Nereidae of the Chinese coast. China Ocean Press, Beijing, 228 pp.

Wu, B.L., Wi, Q., Qiu, J. and Lu, H., 1997. Fauna Sinica – Phylum Annelida. Class Polychaeta Order Phyllodocimorpha. Science Press, Beijing, 329 pp.

Yang, D.J. and Sun, R.P., 1988. Polychaetous annelids commonly seen from the Chinese waters. China Agriculture Press, 352 pp.

Annelida – Oligochaeta:

Erseus, C., 1990. Marine Oligochaeta of Hong Kong. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 259-335. Hong Kong University Press, Hong Kong.

Erseus, C., 1992. Hong Kong marine Oligochaeta: a supplement. In: Proceedings of the 4th International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 157-180. Hong Kong University Press, Hong Kong.

Sipuncula:

Zhou, H. and Li, F.L., 1993. Sipunculans from the South China Sea. In: Proceedings of the first International Conference on Marine Biology of the South China Sea, edited by B. Morton, G.X. Xu, R.L. Zou, J.P. Pan and G.X. Cai, pp. 129-142. World Publishing Corporation.

Echiura:

Chen, Y. and Ye, C.T., 1958. Echiura of China Seas. Acta of Zoology 10: 265-280.

Mollusca:

Chen, X., 1964. Illustrations of the Fauna of China. Mollusca. Vol. 1, Science Press, Beijing.

Habe, T., 1977. Systematics of Mollusca in Japan: Bivalvia and Scaphopoda. Hokuryukan Publishing Co., Japan.

Habe, T., 1984. Coloured Illustrations of the Shells of Japan. Hoikusha Publishing Cp., Japan.

Habe, T. and Ito, K., 1982. Shells of the World in Colour. Vol. 1. Hoikusha Publishing Co., Japan.

Habe, T. and Kosuge, S., 1984. Shells of the World in Colour. Vol. 2, Hoikusha Publishing Co., Japan.

Kira, T., 1983. Coloured Illustrations of the Shells of Japan. Vol. 2, Hoikusha Publishing Co., Japan.

Qi, Z., 1983. Illustrations of the Fauna of China. Mollusca. Vol. 2, Science Press, Beijing.

Xu, F., 1999. Fauna Sinica – Bivalvia. Subclasses Protobranchia and Anomalodesmata. Science Press, Beijing, 244 pp.

Wang, Z., 1997. Fauna Sinica – Mollusca. Mytiloidea. Science Press, Beijing, 268 pp.

Zhuang, Q., 2001. Fauna Sinica – Bivalvia. Family Veneridae. Science Press, Beijing, 278 pp.

Arthropoda:

Bruce, A.J., 1980. The Pontonine shrimp fauna of Hong Kong. In: In: Proceedings of the 1st International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton and C.W. Tseng, pp. 233-284. Hong Kong University Press, Hong Kong.

Bruce, A.J., 1990a. Redescriptions of five Hong Kong carideans first described by William Stimpson, 1860. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 569-610. Hong Kong University Press, Hong Kong.

Bruce, A.J., 1990b. Additions to the marine shrimp fauna of Hong Kong. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 611-648. Hong Kong University Press, Hong Kong.

Bartsch, I., 1990. Halacardiae Acari of Hong Kong. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 661-665. Hong Kong University Press, Hong Kong.

Dai, A.Y., 1986. The crabs of China seas. China Ocean Press, Beijing, 642 pp.

Du, L.S., 1987-1993. Carcinology. Science Press, Beijing, 1004 pp.

Dong, L.M., 1983. Study of the Stomatopoda of East China Sea. Oceanology of East China Sea 1: 1-13.

Foster, B.A., 1980. Shallow water barnacles from Hong Kong. In: Proceedings of the 1st International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton and C.W. Tseng, pp. 207-232. Hong Kong University Press, Hong Kong.

Hirayama, A., 1990a. Marine Gammaridean Amphipoda (Crustacea) from Hong Kong. I. The family Corophiidae, Genus *Corophium*. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 449-485. Hong Kong University Press, Hong Kong.

Hirayama, A., 1990b. Marine Gammaridean Amphipoda (Crustacea) from Hong Kong. II. The family *Dexaminidae*. In: Proceedings of the 2nd International Marine Biological

Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 487-513. Hong Kong University Press, Hong Kong.

Ren, X.Q., 1992. Studies of the Gammaridea from Jiaozhou Bay. Contributions to Crustacean Zoology (3), Qingdao Ocean University Press, pp. 214-317.

Yang, S. and Sun, X.M., 1992. On the porcellanid crab of Guangxi Province, China. Contributions to Crustacean Zoology (3), Qingdao Ocean University Press, pp. 196-213.

Phoronida:

Wu, B.L. and Chen, M., 1964. Study of Phoronidae in China Seas. Contributions to the 30th Anniversary of The Chinese Zoology Society, The Chinese Zoology Society (No page number was given in this publication).

Bryozoa:

Huang, Z., Li, C.Y. and Liu, X.X., 1990. The bryozoan foulers of Hong Kong and neighbouring waters. In: Proceedings of the 2nd International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton, pp. 737-765. Hong Kong University Press, Hong Kong.

Liu, X.X. and Li, C.Y., 1987. Six new species of bryozoans from the waters of Hong Kong and Zhujiang Estuary. Journal of Oceanography of Taiwan Strait 6: 53-68.

Echinodermata:

Clark, A.M. and Rowe, F.W., 1971. Monograph of shallow Indo-west Pacific Echinoderms. British Museum, London, No. 690, 238 pp.

Clark, A.M., 1980. Echinoderms of Hong Kong. In: Proceedings of the 1st International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and Southern China, edited by B. Morton and C.W. Tseng, pp. 485-501. Hong Kong University Press, Hong Kong.

Laio, Y.L. and Clark, A.M., 1995. The echinoderms of southern China. Science Press, Beijing, 613 pp.

Laio, Y.L., 1997. Fauna Sinica – Echinoderms. Holothuroidea. Science Press, Beijing, 344 pp.

Hemichordata:

Cheng, S., 1963. Economical fauna of China. Hemichordata. Science Press, Beijing, 118-121.

Liang, X.Y., 1964. Study of Hemichordata in China Seas. Studia Marina Sinica 22: 127-138.

Urochordata – Ascidiacea:

Kott, P. and Goodbody, I., 1980. The Ascidians of Hong Kong. In: Proceedings of the 1st International Marine Biological Workshop, The Marine Flora and Fauna of Hong Kong and

Southern China, edited by B. Morton and C.W. Tseng, pp. 503-554. Hong Kong University Press, Hong Kong.

Chordata – Cephalochordata – Amphioxi:

Poss, S.G. and Boschung, H.T., 1996. Lancelets (Cephalochordata: Branchiostomatidae). How many species are valid? *Israel Journal of Zoology* 42: 513-566.

Fang, S.H. and Lu, X.M., 1991. Ecological characteristics of two species of *Amphioxus* in Minnan- Taiwan bank fishing ground. *Minnan-Taiwan Bank Fishing Ground Upwelling Ecosystem Study*, pp. 603-607. Science Press, Beijing.

Chin, T.G., 1941. Studies on the biology of the Amoy (Xiamen) *Amphioxus* *Branchiostoma belcheri* Gray. *Philippine Journal of Science* 75: 369-424.

Vertebrata – Osteichthyes:

Academia Sinica Institute of Zoology, 1962. *The Fishes of South China Sea*. Science Press, Beijing, 1183 pp.

South China Sea Fisheries Institute, 1979. *The Fishes of the Islands in the South China Sea*. Science Press, Beijing, 613 pp.

The Fish Group, 1985. *The Fishes of Fujian Province*, Fujian Science and Technology press, 528 pp.

Wu, H.L., Shao, K.T. and Lai, C.F., 1999. *Latin-Chinese Dictionary of Fish Names*. Taiwan Fisheries Press, 1028 pp.