

野生動物 - 雀鳥篇

Wildlife Highlights - Birds

香港的雀鳥 Birds in Hong Kong

香港大廈林立，在這彈丸之地，可有想過鳥種數目竟多達480種，相當於全中國野鳥種類約三分之一。當中大概有兩成是留鳥、六成為候鳥。候鳥是卓越的飛行家，每年冬天，牠們都會從寒冷的北方如西伯利亞及中國東北部飛往較溫暖的南方越冬。冬去春來，當原居地回暖，牠們又會飛返繁殖。

Hong Kong, though it is commonly known for its skyscrapers, it also has an impressive record of biodiversity. There are 480 species of birds, which accounts for about one-third of the species found in China. Among these species, about 20% are residents and 60% are migrants. These migrants are excellent travellers flying from the frozen north, for example, Siberia and Northeastern China. Every year they fly southwards for food and shelter in winter and return to their breeding grounds in the north at early spring.


為甚麼香港雀鳥品種數目如此驚人？ Why is Hong Kong rich in bird diversity?

香港位處中國東南沿岸，同時位於「東亞—澳大利亞飛行路線」上，是雀鳥遷徙的一個重要中途站。這條飛行路線，北至西伯利亞繁殖地，南至澳洲及紐西蘭。香港在地理位置上佔盡優勢，因此每年逾十萬隻候鳥以香港為中途補給站或度冬地。加上香港位於古北界、東洋界和澳洲界之間，在生物地理環境佔盡優勢，所以香港有不同地區的特色鳥種。


香港擁有多元化的生境，提供食物和居所予不同的鳥種，例如林地和灌木叢為林鳥提供漿果及昆蟲等食物，而濕地如泥灘、紅樹林、蘆葦床、海岸及魚塘等則為水鳥提供魚類和其他水生生物作為食物。

Hong Kong is a coastal city at Southeast China, it also lies on the East-Asian Australasian Flyway of migratory birds. The flyway extends from as far north as Siberia, which is a breeding ground of these migratory birds, to as far south as Australia and New Zealand. Hong Kong is a major stopover point for 'refueling' on the flyway, and is a wintering destination for over 100,000 migratory birds each year. Hong Kong is also located between the Palaearctic, Oriental and Australian regions. This is a biogeographic advantage for a rich diversity of bird species.

The wide range of local natural habitats contribute to the diversity of birds. For example, woodlands and scrublands are important habitats for fruit- and insect-eating birds; wetlands including mudflats, mangroves, reedbeds, coastal areas and fishponds support a diversity of fish and aquatic organisms. All of these contribute to the rich waterbird diversity.



每年秋、冬季均有大量候鳥遷徙至香港越冬
Large amount of birds migrate to Hong Kong during Autumn and Winter



東亞—澳大利亞飛行路線
East-Asian Australasian Flyway



候鳥遷徙有何威脅？

Potential Threats to Bird Migration

候鳥南遷以避嚴寒的冬天，但在遷徙的路途上卻面對種種的威脅。這些威脅包括棲息地的消失及棲息地的素質下降。工業污染物、污水和家居排放的廢料所造成的環境污染，亦威脅鳥類的生存。近年中國沿岸地區經濟發展和人口增長迅速，沿岸大量濕地被填土，令候鳥失去賴以維生的棲息地。近數十年來，大片天然濕地被改為魚塘，潮間帶的泥灘面積減少因而令水鳥覓食地銳減。

此外，水鳥對人類活動十分敏感。人類在牠們覓食和棲息的地方進行旅遊、捕捉彈塗魚等活動均會對水鳥造成滋擾。

Birds migrate to escape the freezing winter by seeking food and shelter in warmer areas. The greatest enemies they face are habitat loss and habitat degradation. Pollution, in forms of industrial effluents and domestic sewage, poses serious threats to waterbirds. With increasing population and rapid economic development, reclamation took place due to a huge demand for land along coastal China, which further reduced habitats for the migratory waterbirds. In recent decades, large areas of natural wetlands in these regions were converted to fishponds. This has resulted in the loss of intertidal mudflat as well as feeding grounds for waterbirds.

In addition, the feeding and roosting sites of waterbirds are also disturbed by other human activities such as tourism and mudskipper trapping.



漁民在后海灣捕捉彈塗魚
Fishermen collect mudskippers at Deep Bay area



黑臉琵鷺是全球瀕危鳥種
Black-faced Spoonbill is a globally endangered species

我們能做甚麼？

What Can We Do?

香港位於候鳥的飛行路線上，我們在不同季節和地方都觀賞到各種不同的鳥類。除了由政府定立條例保護生態環境和進行城市規劃外，在個人而言，我們可學習觀鳥技巧，然後參與定期進行的雀鳥調查。雀鳥調查提供重要的生態基線資料，讓負責濕地管理當局及早察覺變化，採取行動，加強保育措施。

香港濕地公園在生態保育方面是一個極佳例子。公園有多種不同類型的生境，包括林地、灌木叢、蘆葦床、濕耕農地、淡水沼澤、紅樹林、泥灘等，適合不同種類的雀鳥棲息。截至2007年底，園內記錄的鳥種有217種，接近香港鳥類品種的一半。

Hong Kong is blessed to be one of the important hubs of the migratory flyway. We can watch bird at different places and time of the year. To ensure ecological sustainability, we should put our best effort to conserve our natural resources. In addition to conserving natural habitats through legal protection and urban planning, we can also help by learning how to identify birds and participate in regular bird monitoring activities. Bird monitoring provides baseline data for management authority to take necessary conservation actions.

The Hong Kong Wetland Park is one of the best models of habitat conservation. There are various types of managed habitats including woodland, shrubland, reedbed, wet agricultural land, freshwater marsh, mangrove and mudflat. These diverse habitats support a variety of bird species. By the end of 2007, a total of 217 species have been recorded. This account for 50% of the bird species in Hong Kong.



香港濕地公園有多種不同類型的生境，適合不同種類的雀鳥棲息
Hong Kong Wetland Park has a variety of wetland habitats for different types of birds

以下是截至2007年底，香港濕地公園內曾記錄雀鳥的名錄。當你進行觀鳥時，可以在適當位置加上“√”，以數算你的個人觀鳥記錄。

The following is a checklist (updated by the end of 2007) of bird species that have been recorded in the Hong Kong Wetland Park. Please “√” in the appropriate place(s) and count your observation record.

中文名稱 Chinese Name	英文名稱(拉丁學名) English Name (Scientific Name)	狀況 Status	中文名稱 Chinese Name	英文名稱(拉丁學名) English Name (Scientific Name)	狀況 Status
小蹠鶲	Little Grebe (<i>Tachybaptus ruficollis</i>)	R	黑水雞	Common Moorhen (<i>Gallinula chloropus</i>)	R
鮑鴨	Great Cormorant (<i>Phalacrocorax carbo</i>)	W	白骨頂	Eurasian Coot (<i>Fulica atra</i>)	W
蒼鷺	Grey Heron (<i>Ardea cinerea</i>)	W	水雉	Pheasant-tailed Jacana (<i>Hydrophasianus chirurgus</i>)	M
草鷺	Purple Heron (<i>Ardea purpurea</i>)	R,AM	彩鶲	Greater Painted-snipe (<i>Rostratula benghalensis</i>)	M,R
大白鷺	Great Egret (<i>Egretta alba</i>)	R	黑翅長腳鶲	Black-winged Stilt (<i>Himantopus himantopus</i>)	W
中白鷺	Intermediate Egret (<i>Egretta intermedia</i>)	AM,W	反嘴鶲	Pied Avocet (<i>Recurvirostra avosetta</i>)	W
小白鷺	Little Egret (<i>Egretta garzetta</i>)	R	普通燕鵙	Oriental Pratincole (<i>Glareola maldivarum</i>)	M
牛背鷺	Cattle Egret (<i>Bubulcus ibis</i>)	Su	鳳頭麥雞	Northern Lapwing (<i>Vanellus vanellus</i>)	W
池鷺	Chinese Pond Heron (<i>Ardeola bacchus</i>)	R	灰頭麥雞	Grey-headed Lapwing (<i>Vanellus cinereus</i>)	W
綠鷺	Striated Heron (<i>Butorides striatus</i>)	Su	太平洋金斑鶲	Pacific Golden Plover (<i>Pluvialis fulva</i>)	M,W
夜鷺	Black-crowned Night Heron (<i>Nycticorax nycticorax</i>)	R	灰鶲(灰斑鶲)	Grey Plover (<i>Pluvialis squatarola</i>)	W
黃葦鳽	Yellow Bittern (<i>Ixobrychus sinensis</i>)	M,Su	金眶鶲	Little Ringed Plover (<i>Charadrius dubius</i>)	W,R
栗葦鳽	Cinnamon Bittern (<i>Ixobrychus cinnamomeus</i>)	M	環頸鶲	Kentish Plover (<i>Charadrius alexandrinus</i>)	W
黑鶲	Black Bittern (<i>Dupetor flavicollis</i>)	M	蒙古沙鶲	Lesser Sand Plover (<i>Charadrius mongolus</i>)	M
大麻鳽	Great Bittern (<i>Botaurus stellaris</i>)	W	鐵嘴沙鶲	Greater Sand Plover (<i>Charadrius leschenaultii</i>)	M
白琵鷺	Eurasian Spoonbill (<i>Platalea leucorodia</i>)	W	黑尾塍鶲	Black-tailed Godwit (<i>Limosa limosa</i>)	W
黑臉琵鷺	Black-faced Spoonbill (<i>Platalea minor</i>)	W	中杓鶲	Whimbrel (<i>Numenius phaeopus</i>)	M
赤頸鴨	Eurasian Wigeon (<i>Anas penelope</i>)	W	白腰杓鶲	Eurasian Curlew (<i>Numenius arquata</i>)	W
花臉鴨	Baikal Teal (<i>Anas formosa</i>)	W	鶲鶲	Spotted Redshank (<i>Tringa erythropus</i>)	W
綠翅鴨	Common Teal (<i>Anas crecca</i>)	W	紅腳鶲	Common Redshank (<i>Tringa totanus</i>)	W
綠頭鴨	Mallard (<i>Anas platyrhynchos</i>)	W	澤鶲	Marsh Sandpiper (<i>Tringa stagnatilis</i>)	W
斑嘴鴨	Spot-billed Duck (<i>Anas poecilorhyncha</i>)	W	青腳鶲	Common Greenshank (<i>Tringa nebularia</i>)	W
針尾鴨	Northern Pintail (<i>Anas acuta</i>)	W	小青腳鶲	Nordmann's Greenshank (<i>Tringa guttifer</i>)	W
白眉鴨	Garganey (<i>Anas querquedula</i>)	M,W	白腰草鶲	Green Sandpiper (<i>Tringa ochropus</i>)	W
琵嘴鴨	Northern Shoveler (<i>Anas clypeata</i>)	W	林鶲	Wood Sandpiper (<i>Tringa glareola</i>)	W
鳳頭潛鴨	Tufted Duck (<i>Aythya fuligula</i>)	W	翹嘴鶲	Terek Sandpiper (<i>Xenus cinereus</i>)	M
鴟(魚鷹)	Osprey (<i>Pandion haliaetus</i>)	W	磯鶲	Common Sandpiper (<i>Actitis hypoleucos</i>)	W
黑冠鵲隼(鳳頭鵲隼)	Black Baza (<i>Aviceda leuphotes</i>)	M,Su	灰尾(漂)鶲	Grey-tailed Tattler (<i>Heteroscelus brevipes</i>)	M
黑翅鳶	Black-winged Kite (<i>Elanus caeruleus</i>)	O	丘鶲	Eurasian Woodcock (<i>Scolopax rusticola</i>)	M
鳳頭蜂鷹	Crested Honey Buzzard (<i>Pernis ptilorhynchus</i>)	AM	針尾/大沙錐	Pintail / Swinhoe's Snipe (<i>Gallinago stenura / G.megala</i>)	M,W
黑鳶(麻鳶)	Black Kite (<i>Milvus migrans</i>)	W,R	扇尾沙錐	Common Snipe (<i>Gallinago gallinago</i>)	W
白腹海鵰	White-bellied Sea Eagle (<i>Haliaeetus leucogaster</i>)	R	長嘴半蹼鶲	Long-billed Dowitcher (<i>Limnodromus scolopaceus</i>)	-
蛇鷹	Crested Serpent Eagle (<i>Spilornis cheela</i>)	M,R	半蹼鶲	Asian Dowitcher (<i>Limnodromus semipalmatus</i>)	M
灰臉鷲鷹	Grey-faced Buzzard (<i>Butastur indicus</i>)	SpM	紅腹濱鶲	Red Knot (<i>Calidris canutus</i>)	M
鵟鷹	Pied Harrier (<i>Circus melanoleucos</i>)	AM	紅頸濱鶲	Red-necked Stint (<i>Calidris ruficollis</i>)	M
白腹鷂(澤鷂)	Eastern Marsh Harrier (<i>Circus spilonotus</i>)	W	小濱鶲	Little Stint (<i>Calidris minuta</i>)	M
鳳頭鷂	Crested Goshawk (<i>Accipiter trivirgatus</i>)	R	青腳濱鶲	Temminck's Stint (<i>Calidris temminckii</i>)	M
赤腹鷂	Chinese Goshawk (<i>Accipiter soloensis</i>)	SpM	長趾濱鶲	Long-toed Stint (<i>Calidris subminuta</i>)	M
日本松雀鷹	Japanese Sparrowhawk (<i>Accipiter gularis</i>)	M	尖尾濱鶲	Sharp-tailed Sandpiper (<i>Calidris acuminata</i>)	M
松雀鷹	Besra (<i>Accipiter virgatus</i>)	R	彎嘴濱鶲	Curlew Sandpiper (<i>Calidris ferruginea</i>)	SpM
雀鷹	Eurasian Sparrowhawk (<i>Accipiter nisus</i>)	W	流蘇鶲	Ruff (<i>Philomachus pugnax</i>)	M
普通鷲	Common Buzzard (<i>Buteo buteo</i>)	W	紅嘴鷗	Black-headed Gull (<i>Larus ridibundus</i>)	W
烏鵰	Greater Spotted Eagle (<i>Aquila clanga</i>)	W	山斑鳩	Oriental Turtle Dove (<i>Streptopelia orientalis</i>)	W
白肩鵟	Imperial Eagle (<i>Aquila heliaca</i>)	W	火斑鳩	Red Turtle Dove (<i>Streptopelia tranquebarica</i>)	AM
紅隼	Common Kestrel (<i>Falco tinnunculus</i>)	AM,W	灰斑鳩	Eurasian Collared Dove (<i>Streptopelia decaocto</i>)	-
燕隼	Eurasian Hobby (<i>Falco subbuteo</i>)	M,Su	珠頸斑鳩	Spotted Dove (<i>Streptopelia chinensis</i>)	W
遊隼	Peregrine Falcon (<i>Falco peregrinus</i>)	R,W	綠翅金鳩(綠背金鳩)	Emerald Dove (<i>Chalcophaps indica</i>)	R
鷓鴣	Chinese Francolin (<i>Francolinus pintadeanus</i>)	R	紅翅鳳頭鶲	Chestnut-winged Cuckoo (<i>Clamator coromandus</i>)	Su
黃腳三趾鹑	Yellow-legged Button-quail (<i>Turmix tanki</i>)	M	鷹鶲	Large Hawk Cuckoo (<i>Hierococcyx sparverioides</i>)	Su
灰胸秧雞	Slaty-breasted Rail (<i>Gallirallus striatus</i>)	R	四聲杜鵑	Indian Cuckoo (<i>Cuculus micropterus</i>)	Su
普通秧雞	Water Rail (<i>Rallus aquaticus</i>)	M	中杜鵑	Oriental Cuckoo (<i>Cuculus saturatus</i>)	M
小田雞	Baillon's Crake (<i>Porzana pusilla</i>)	M	八聲杜鵑	Plaintive Cuckoo (<i>Cacomantis merulinus</i>)	Su
紅胸田雞	Ruddy-breasted Crake (<i>Porzana fusca</i>)	M	噪鶥	Common Koel (<i>Eudynamys scolopacea</i>)	Su,R
白胸苦惡鳥	White-breasted Waterhen (<i>Amaurornis phoenicurus</i>)	R	褐翅鴉鶲	Greater Coucal (<i>Centropus sinensis</i>)	R
董雞	Watercock (<i>Gallicrex cinerea</i>)	M	小鴉鶲	Lesser Coucal (<i>Centropus bengalensis</i>)	R

索引Key:

AM: 秋季過境遷徙鳥 Autumn Migrant M: 春秋過境遷徙鳥 Spring and Autumn Migrant SpM: 春季過境遷徙鳥 Spring Migrant OV: 偶見鳥 Occasional Vistor R: 留鳥 Resident Su: 夏候鳥 Summer Visitor W: 冬候鳥 Winter Visitor -: 情況未知/不明 Uncertain

中文名稱 Chinese Name	英文名稱(拉丁學名) English Name (Scientific Name)	狀況 Status	中文名稱 Chinese Name	英文名稱(拉丁學名) English Name (Scientific Name)	狀況 Status
領角鴞	Collared Scops Owl (<i>Otus bakkamoena</i>)	R	矛紋鐘鶯(矛斑鐘鶯)	Lanceolated Warbler (<i>Locustella lanceolata</i>)	AM
斑頭鸺鹠	Asian Barred Owlet (<i>Glaucidium cuculoides</i>)	R	小蛇鶯	Pallas's Grasshopper Warbler (<i>Locustella certhiola</i>)	AM
林夜鷹	Savanna Nightjar (<i>Caprimulgus affinis</i>)	Su, M	黑眉葦鶯	Black-browed Reed Warbler (<i>Acrocephalus bistrigiceps</i>)	M
白腰雨燕	Pacific Swift (<i>Apus pacificus</i>)	SpM,Su	稻田葦鶯	Paddyfield Warbler (<i>Acrocephalus agricola</i>)	-
小白腰雨燕	House Swift (<i>Apus nipalensis</i>)	R,SpM	東方大葦鶯	Oriental Reed Warbler (<i>Acrocephalus orientalis</i>)	M
斑魚狗	Pied Kingfisher (<i>Ceryle rudis</i>)	R	棕眉尾鶲	Zitting Cisticola (<i>Cisticola juncidis</i>)	W
普通翠鳥	Common Kingfisher (<i>Alcedo atthis</i>)	AM,W,R	黃腹山鶲鶯(灰頭山鶲鶯)	Yellow-bellied Prinia (<i>Prinia flavigaster</i>)	R
白胸翡翠	White-throated Kingfisher (<i>Halcyon smyrnensis</i>)	AM,W,R	純色山鶲鶯(福頭山鶲鶯)	Plain Prinia (<i>Prinia inornata</i>)	R
藍翡翠	Black-capped Kingfisher (<i>Halcyon pileata</i>)	AM,W	長尾縫葉鶲	Common Tailorbird (<i>Orthotomus sutorius</i>)	R
栗喉蜂虎	Blue-tailed Bee-eater (<i>Merops philippinus</i>)	-	褐柳鶯	Dusky Warbler (<i>Phylloscopus fuscatus</i>)	W
戴勝	Eurasian Hoopoe (<i>Upupa epops</i>)	OV	黃腰柳鶯	Pallas's Leaf Warbler (<i>Phylloscopus proregulus</i>)	W
蠟嘴	Eurasian Wryneck (<i>Jynx torquilla</i>)	W,M	黃眉柳鶯	Yellow-browed Warbler (<i>Phylloscopus inornatus</i>)	W
雲雀	Eurasian Skylark (<i>Alauda arvensis</i>)	M,W	極北柳鶯	Arctic Warbler (<i>Phylloscopus borealis</i>)	AM
小雲雀	Oriental Skylark (<i>Alauda gulgula</i>)	W,R	淡腳柳鶯(灰腳柳鶯)	Pale-legged Leaf Warbler (<i>Phylloscopus tenellipes</i>)	AM
崖沙燕	Sand Martin (<i>Riparia riparia</i>)	SpM	冕柳鶯	Eastern Crowned Warbler (<i>Phylloscopus coronatus</i>)	AM
家燕	Barn Swallow (<i>Hirundo rustica</i>)	SpM,Su	灰紋鶲(斑胸鶲)	Grey-streaked Flycatcher (<i>Muscicapa griseisticta</i>)	M
金腰燕	Red-rumped Swallow (<i>Hirundo daurica</i>)	M	烏鵲	Dark-sided Flycatcher (<i>Muscicapa sibirica</i>)	AM
煙腹毛腳燕	Asian House Martin (<i>Delichon dasypus</i>)	M	北灰鶲(闊嘴鶲)	Asian Brown Flycatcher (<i>Muscicapa dauurica</i>)	M,W
山鶲鶺(林鶲鶺)	Forest Wagtail (<i>Dendronanthus indicus</i>)	M	白眉姬鶲	Yellow-rumped Flycatcher (<i>Ficedula zanthopygia</i>)	AM
黃鶲鶺	Yellow Wagtail (<i>Motacilla flava</i>)	M,W	曉姬鶲	Mugimaki Flycatcher (<i>Ficedula mugimaki</i>)	M,W
灰鶲鶺	Grey Wagtail (<i>Motacilla cinerea</i>)	W	紅喉姬鶲	Red-throated Flycatcher (<i>Ficedula albicilla</i>)	AM,W
白鶲鶺	White Wagtail (<i>Motacilla alba</i>)	W,R	白腹藍姬鶲(白腹鶲)	Blue-and white Flycatcher (<i>Cyanoptila cyanomelana</i>)	SpM
田鶲	Richard's Pipit (<i>Anthus richardi</i>)	W,R	壽帶鳥	Asian Paradise Flycatcher (<i>Terpsiphone paradisi</i>)	M
樹鶲	Olive-backed Pipit (<i>Anthus hodgsoni</i>)	W	紫壽帶鳥	Japanese Paradise Flycatcher (<i>Terpsiphone atrocaudata</i>)	M
紅喉鶲	Red-throated Pipit (<i>Anthus cervinus</i>)	WM	攀雀	Chinese Penduline Tit (<i>Remiz consobrinus</i>)	M,W
北鶲	Pechora Pipit (<i>Anthus gustavi</i>)	M	大山雀	Great Tit (<i>Parus major</i>)	R
黃腹鶲	Buff-bellied Pipit (<i>Anthus rubescens</i>)	W	叉尾太陽鳥	Fork-tailed Sunbird (<i>Aethopyga christinae</i>)	R
暗灰鶲鶲	Black-winged Cuckoo-shrike (<i>Coracina melanotos</i>)	AM,W	暗綠繡眼鳥(相思)	Japanese White-eye (<i>Zosterops japonicus</i>)	R,W
灰山椒鳥	Ashy Minivet (<i>Pericrocotus divaricatus</i>)	SpM	栗耳鶲(赤胸鶲)	Chestnut-eared Bunting (<i>Emberiza fucata</i>)	M
紅耳鶲	Red-whiskered Bulbul (<i>Pycnonotus jocosus</i>)	R	小鶲	Little Bunting (<i>Emberiza pusilla</i>)	W
白頭鶲	Chinese Bulbul (<i>Pycnonotus sinensis</i>)	R	黃眉鶲	Yellow-browed Bunting (<i>Emberiza chrysophrys</i>)	M
白喉紅臂鶲	Sooty-headed Bulbul (<i>Pycnonotus aurigaster</i>)	R	黃胸鶲	Yellow-breasted Bunting (<i>Emberiza aureola</i>)	M
栗背短腳鶲	Chestnut Bulbul (<i>Hypsipetes castanonotus</i>)	R,W	栗鶲	Chestnut Bunting (<i>Emberiza rutila</i>)	M
黑短腳鶲	Black Bulbul (<i>Hypsipetes leucocephalus</i>)	W	硫黃鶲	Japanese Yellow Bunting (<i>Emberiza sulphurata</i>)	SpM
紅尾伯勞	Brown Shrike (<i>Lanius cristatus</i>)	SpM	灰頭鶲	Black-faced Bunting (<i>Emberiza spodocephala</i>)	W,M
棕背伯勞	Long-tailed Shrike (<i>Lanius schach</i>)	R	黑尾蠅嘴雀	Yellow-billed Grosbeak (<i>Eophona migratoria</i>)	M
紅尾歌鶲	Rufous-tailed Robin (<i>Luscinia sibilans</i>)	W,SpM	斑文鳥	Scaly-breasted Munia (<i>Lonchura punctulata</i>)	R
紅喉歌鶲(紅點頰)	Siberian Rubythroat (<i>Luscinia calliope</i>)	W	麻雀(樹麻雀)	Eurasian Tree Sparrow (<i>Passer montanus</i>)	R
藍喉歌鶲(藍點頰)	Bluethroat (<i>Luscinia svecica</i>)	W	綠光椋鳥	Red-billed Starling (<i>Sturnus sericeus</i>)	W
紅脣藍尾鶲	Red-flanked Bluetail (<i>Tarsiger cyanurus</i>)	W	灰椋鳥	White-cheeked Starling (<i>Sturnus cineraceus</i>)	W
鶲鶲	Oriental Magpie Robin (<i>Copsychus saularis</i>)	R	黑領椋鳥	Black-collared Starling (<i>Sturnus nigricollis</i>)	R
北紅尾鶲	Durian Redstart (<i>Phoenicurus auroreus</i>)	W	灰背椋鳥	White-shouldered Starling (<i>Sturnus sinensis</i>)	M,W,Su
西伯利亞石鶲(黑喉石鶲)	Siberian Stonechat (<i>Saxicola maurus</i>)	W	八哥	Crested Myna (<i>Acridotheres cristatellus</i>)	R
灰林鶲	Grey Bushchat (<i>Saxicola ferrea</i>)	AM,W	黑枕黃鸝	Black-naped Oriole (<i>Oriolus chinensis</i>)	AM
藍磯鶲	Blue Rock Thrush (<i>Monticola solitarius</i>)	WM	黑卷尾	Black Drongo (<i>Dicrurus macrocercus</i>)	M,Su
虎斑地鶲	Scaly Thrush (<i>Zoothera dauma</i>)	W	髮冠卷尾	Hair-crested Drongo (<i>Dicrurus hottentottus</i>)	M,W,Su
烏鵲	Common Blackbird (<i>Turdus merula</i>)	M	紅嘴藍鶲	Blue Magpie (<i>Urocissa erythrorhyncha</i>)	R
灰背鶲	Grey-backed Thrush (<i>Turdus hortulorum</i>)	W	灰樹鶲	Grey Treepie (<i>Dendrocitta formosae</i>)	M,W
白腹鶲	Pale Thrush (<i>Turdus pallidus</i>)	M,W	喜鵲	Common Magpie (<i>Pica pica</i>)	M,W
斑鶲	Dusky Thrush (<i>Turdus naumanni</i>)	W	灰喜鵲	Azure-winged Magpie (<i>Cyanopica cyana</i>)	-
黑臉噪鶲	Masked Laughingthrush (<i>Garrulax perspicillatus</i>)	R	大嘴烏鵲	Large-billed Crow (<i>Corvus macrorhynchos</i>)	R
鱗頭樹鶲	Asian Stubtail Warbler (<i>Urosphena squameiceps</i>)	W	白頭鵙	Collared Crow (<i>Corvus torquatus</i>)	R
日本樹鶲	Japanese Bush Warbler (<i>Cettia diphone</i>)	W	黃額絲雀	Yellow-fronted Canary (<i>Serinus mozambicus</i>)	-
黃腹樹鶲	Yellowish-bellied Bush Warbler (<i>Cettia acanthizoides</i>)	-			

索引Key:
 AM: 秋季過境遷徙鳥 Autumn Migrant M: 春秋過境遷徙鳥 Spring and Autumn Migrant SpM: 春季過境遷徙鳥 Spring Migrant OV: 偶見鳥 Occasional Visitor R: 留鳥 Resident Su: 夏候鳥 Summer Visitor
 W: 冬候鳥 Winter Visitor -: 情況未知/不明 Uncertain