

Water quality of Tung Ping Chau Marine Park in Year 2017

| | Ma Kok Tsui | | Cheung Sha Wan | |
|--|-------------|--------|----------------|--------|
| Water Depth | Surface | Bottom | Surface | Bottom |
| Air Temperature (°C) | 25.53 | | 25.53 | |
| Temperature (°C) | 26.29 | 25.57 | 26.40 | 25.71 |
| Salinity (‰) | 30.28 | 31.65 | 30.40 | 31.55 |
| Dissolved Oxygen (mg/L) | 6.93 | 5.95 | 6.78 | 5.95 |
| pH | 8.08 | 8.06 | 8.16 | 8.04 |
| Secchi Disc Depth (m) | 2.5 | | 2.5 | |
| Turbidity (NTU) | 1.13 | 1.13 | 1.00 | 1.75 |
| Suspended Solids (mg/L) | 2.63 | 2.50 | 2.63 | 5.25 |
| 5-Day Biochemical Oxygen Demand (mg/L) | <2 | 2.13 | <2 | <2 |
| Ammoniacal Nitrogen (mg/L) | 0.02 | 0.09 | 0.02 | 0.05 |
| Unionized Ammonia (mg/L) | <0.01 | <0.01 | <0.01 | <0.01 |
| Nitrite Nitrogen (mg/L) | 0.02 | 0.02 | 0.02 | 0.02 |
| Nitrate Nitrogen (mg/L) | 0.05 | 0.05 | 0.06 | 0.06 |
| Total Inorganic Nitrogen (mg/L) | 0.07 | 0.07 | 0.07 | 0.11 |
| Total Kjeldahl Nitrogen (mg/L) | 0.29 | 0.24 | 0.28 | 0.35 |
| Total Nitrogen (mg/L) | 0.31 | 0.30 | 0.33 | 0.40 |
| Orthophosphate Phosphorus (mg/L) | <0.01 | <0.01 | <0.01 | <0.01 |
| Total Phosphorus (mg/L) | <0.1 | <0.1 | <0.1 | <0.1 |
| Chlorophyll-a (µg/L) | 1.33 | 1.28 | 1.58 | 0.88 |
| <i>E. coli</i> (cfu/100 mL) | 1 | 18 | 20 | 20 |
| Faecal Coliforms (cfu/100 mL) | 1 | 22 | 24 | 24 |