

Water Quality Data of Hoi Ha Wan Marine Park from October to December 2021 (4th Quarter)

	Coral Beach		Mo Chau		Heung Lo Kok		Pier	
	Surface	Bottom	Surface	Bottom	Surface	Bottom	Surface	Bottom
Water Depth								
Air Temperature (°C)	15.4		15.4		15.1		15.5	
Temperature (°C)	22.90	22.90	22.80	22.90	22.90	22.90	22.40	22.40
Salinity (‰)	33.20	33.20	33.20	33.20	33.20	33.20	33.10	33.10
Dissolved Oxygen (mg/L)	6.80	6.70	8.10	8.10	6.70	6.70	6.70	6.70
pH	8.00	8.00	6.70	6.70	8.00	8.00	8.10	8.10
Secchi Disc Depth (m)	0.7		0.7		0.8		0.9	
Turbidity (NTU)	1.00	1.00	1.00	1.50	2.00	2.00	1.00	1.00
Suspended Solids (mg/L)	3.00	4.00	2.00	4.00	5.50	3.00	3.50	5.00
5-Day Biochemical Oxygen Demand (mg/L)	<2	<2	<2	<2	<2	<2	<2	<2
Ammoniacal Nitrogen (mg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Unionized Ammonia (mg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Nitrite Nitrogen (mg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Nitrate Nitrogen (mg/L)	0.01	0.02	0.01	0.01	0.02	<0.01	0.01	<0.01
Total Inorganic Nitrogen (mg/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Total Kjeldahl Nitrogen (mg/L)	0.20	0.20	0.20	0.15	0.20	0.20	0.20	0.10
Total Nitrogen (mg/L)	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Orthophosphate Phosphorus (mg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Total Phosphorus (mg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chlorophyll-a (µg/L)	3.20	3.20	2.50	2.65	2.55	2.35	2.25	2.30
<i>E. coli</i> (cfu/100 mL)	0	0	0	0	1	0	0	0
Faecal Coliforms (cfu/100 mL)	18	1	19	2	0	2	6	12