

**Water quality data of Sha Chau & Lung Kwu Chau Marine Park from Oct to Dec 2006 (Fourth Quarter)**

|                                  | Lung Kwu Chau North |        | Pak Chau |        |
|----------------------------------|---------------------|--------|----------|--------|
| No. of Sample                    | 1                   |        | 1        |        |
| Depth (m)                        | Surface             | Bottom | Surface  | Bottom |
| Air Temperature (°C)             | 24.6                |        | 24.6     |        |
| Temperature (°C)                 | 23.54               | 23.62  | 23.54    | 23.62  |
| Salinity (ppt)                   | 31.16               | 28.76  | 31.16    | 28.76  |
| DO (mg/L)                        | 5.46                | 4.21   | 5.46     | 4.21   |
| pH                               | 8.18                | 7.85   | 8.18     | 7.85   |
| Secchi depth (m)                 | 1                   |        | 1        |        |
| Turbidity (NTU)                  | 9.5                 | 19.3   | 9.5      | 19.3   |
| Suspended solids (mg/L)          | 11.59               | 24.1   | 11.59    | 24.1   |
| BOD <sub>5</sub> (mg/L)          | 0.17                | 0.24   | 0.17     | 0.24   |
| Ammoniacal nitrogen (mg/L)       | 0.01                | ND     | 0.01     | ND     |
| Unionized ammonia (mg/L)         | 0.001               | ND     | 0.001    | ND     |
| Nitrite nitrogen (mg/L)          | 0.04                | 0.04   | 0.04     | 0.04   |
| Nitrate nitrogen (mg/L)          | 0.1                 | 0.09   | 0.1      | 0.09   |
| TIN (mg/L)                       | 0.15                | 0.13   | 0.15     | 0.13   |
| TKN (mg/L)                       | 0.32                | 0.32   | 0.32     | 0.32   |
| TN (mg/L)                        | 0.46                | 0.45   | 0.46     | 0.45   |
| Orthophosphate phosphorus (mg/L) | 0.1                 | 0.09   | 0.1      | 0.09   |
| TP (mg/L)                        | 0.28                | 0.29   | 0.28     | 0.29   |
| Chlorophyll-a (µg/L)             | 2.64                | 2.27   | 2.64     | 2.27   |
| <i>E. coli</i> (CFU/100 mL)      | 90                  | 200    | 90       | 200    |
| Fecal coliforms (CFU/100 mL)     | 500                 | 700    | 500      | 700    |

ND: Not detectable