

Water quality data of Sha Chau & Lung Kwu Chau Marine Park from January to March 2008 (First Quarter)

| | Lung Kwu Chau North | | Pak Chau | |
|----------------------------------|---------------------|--------|----------|--------|
| No. of Sample | 1 | | 1 | |
| Depth (m) | Surface | Bottom | Surface | Bottom |
| Air Temperature (°C) | 21.6 | | 24.9 | |
| Temperature (°C) | 18.96 | 18.13 | 18.7 | 18.2 |
| Salinity (ppt) | 28 | 29.9 | 29 | 30.2 |
| DO (mg/L) | 6.92 | 7.16 | 7.32 | 7.59 |
| pH | 7.91 | 8 | 7.95 | 8.02 |
| Secchi depth (m) | 2 | | 1.5 | |
| Turbidity (NTU) | 4.1 | 15.8 | 2.7 | 13.6 |
| Suspended solids (mg/L) | 3.72 | 19.51 | 2.17 | 16.53 |
| BOD ₅ (mg/L) | 0.6 | 0.77 | 0.62 | 1 |
| Ammoniacal nitrogen (mg/L) | 0.37 | 0.25 | 0.36 | 0.19 |
| Unionized ammonia (mg/L) | 0.056 | 0.037 | 0.054 | 0.028 |
| Nitrite nitrogen (mg/L) | 0.21 | 0.19 | 0.16 | 0.17 |
| Nitrate nitrogen (mg/L) | 0.3 | 0.22 | 0.27 | 0.18 |
| TIN (mg/L) | 0.88 | 0.65 | 0.78 | 0.54 |
| TKN (mg/L) | 0.22 | 0.22 | 0.27 | 0.28 |
| TN (mg/L) | 0.73 | 0.62 | 0.69 | 0.63 |
| Orthophosphate phosphorus (mg/L) | 0.18 | 0.21 | 0.26 | 0.21 |
| TP (mg/L) | 0.97 | 0.94 | 0.81 | 0.88 |
| Chlorophyll-a (µg/L) | 1.36 | 3.41 | 1.2 | 3.01 |
| <i>E. coli</i> (CFU/100 mL) | 0 | 0 | 0 | 0 |
| Fecal coliforms (CFU/100 mL) | 960 | 65 | 0 | 0 |